

## PRODUCT CATALOGUE

W W W . L O N D E K A W E L D I N G . C O . Z A

#### WELDING SUPPLIES



#### LONDEKA INTRODUCTION

Londeka Welding Supplies is a supplier of welding consumables and gas equipment to the engineering and mining sector. The company was established by young South African who has over 7 years extensive experience in the metal fabrication, gases and chemical industry, after realizing a gap in the market for an SMME that is able to react timeously to customer needs.

The highly dedicated team is always available to assist customers to reach their goals and to meet their targets. Londeka Welding Supplies goes beyond the line of duty to ensure that quality service is always provided to our customers.

# TABLE OF CONTENT

High Performance Services in the Welding Industry. To further develop our corporate strengths we have established a corporate mandate to maintain strong core values that truly reflect the companys philosophy.

Welding Electrodes	01
Mig Wires	05
Tig Wires	07
Welding Machines	09
Safety Products	9
Cutting Discs	11



## WELDING ELECTRODES

www.londekawelding.co.z





#### E6013 MILD STEEL GENERAL PURPOSE

E6013 welding electrodes provides a smooth running low spatter loss, quick freezing, self lifting slag and an excellent weld bead appearance. Its application includes general fabrication of tubes, round bar, plates, pipes, also for maintenance and repairs on spare part of Carbon Steel.

#### AVAILABLE IN:

Code	Diameter	Length	Weight	Packaging
AL-MS25-1	2.5mm	350mm	1KG	1KG
L-MS25-5	2.5mm	350mm	5Kg	5Kg
L-MS32-1	3.2mm	350mm	1KG	1Kg
L-MS32-5	3.2mm	350mm	5Kg	5Kg



#### E7018-1 LOW HYDROGEN

This electrode has an excellent weld bead appearance, low spatter and easy restrike. It welds C-Mn and low alloy steels, ship building, boilers, storage tanks and high sulphur steels and other that require X-ray examination.

#### **AVAILABLE IN:**

Code	Diameter	Length	Weight	Packaging
L-LH25-5	2.5mm	350mm	5Kg	5Kg
L-LH32-5	3.2mm	350mm	5Kg	5Kg
L-LH40-5	3.2mm	350mm	5Kg	5Kg



#### STAINOX 308L-16 STAINLESS STEEL

It is weldable in all position except vertical down. It has a stable arc, easy strike and restrike, the weld after cleaning leaves fine ripple seam surface without under cuttings. It is suitable for welding and joining Cr Ni steels of the same nature.

Code	Diameter	Length	Weight	Packaging
L-Steel 308I-16 2.5	2.5mm	350mm	2Kg	2Kg
L-Steel 308I-16 3.2	3.2mm	350mm	2Kg	2Kg
L-S-Steel 308I-16 2.5	2.5mm	350mm	2Kg	2Kg
L-Steel 308I-16 3.2	3.2mm	350mm	2Kg	2Kg
L-S-Steel 308l-16 2.5	3.2mm	350mm	2Kg	2Kg
L-Steel 308l-16 3.2	3.2mm	350mm	2Kg	2Kg

#### PRO CAST IRON ENIFE=C1 55%

Joining of cast iron to mild steel has an excellent wetting action on most iron. It is used for joining and repairing all types of cast iron such as grey, malleable nodular and phosphorous cast iron welding of highly restrained or thick walled pieces.

#### **AVAILABLE IN:**

Code	Diameter	Length	Weight	Packaging
L-CastN5-2.5-1	2.5mm -3.2mm	2.5mm -3.2mm	1KG	1KG
L-CastN9-2.5-1	2.5mm -3.2mm	2.5mm -3.2mm	1KG	1KG
L-CastN9-3.2-1	2.5mm -3.2mm	2.5mm -3.2mm	1KG	1KG



#### PRO CAST IRON EN=C1 99%


This electrode produce a machinable weld on cast iron without any preheating. It produces a soft stable arc with minimal penetration and spatter excellent maintenance and repair electrode. It can weld a wide range of cast iron components such as engine blocks, cylinder heads, differential housing, gear boxes, pumps, etc.

Code	Diameter	Length	Weight	Packaging
L-CastN5-2.5-1	2.5mm -3.2mm	2.5mm -3.2mm	1KG	1KG
L-CastN9-2.5-1	2.5mm -3.2mm	2.5mm -3.2mm	1KG	1KG
L-CastN9-3.2-1	2.5mm -3.2mm	2.5mm -3.2mm	1KG	1KG






### NOTHING BUT HIGH PERFORMANCE



2020

## MIG WIRES



#### ER70S-6 MILD STEEL MIG WIRE

Mild Steel ER70S-6 is a premium low carbon steel wire for welding steel, the wire is copper-coated and layer-wound for reliable wire feeding. Excellent feed-ability, low spatter and fumes. Suitable for welding a wide range of mild and mid strength low carbon steels and galvanized steel


#### **AVAILABLE IN:**

Code	Diameter	Packaging
L-Mig08	0.8mm	15Kg
L-Mig09	0.9mm	15Kg
L-Mig1.0	1.00mm	15Kg
L-Mig1.2	1.2mm	15Kg



#### **GRANDNOX** STAINLESS STEEL MIG WIRE

Stainless Steel ER316LSi Mig Wire is suitable for welding molybdenum austenitic stainless steels. Good resistance to pitting, acid and general corrosion, high silicone content for improved fluidity and smooth bead appearance, works well at high wire feed speeds



Code	Diameter	Packaging
L-308-0.8	0.8mm	15KG
L-308-0.9	0.9mm	15KG
L-308-1.00	1.00mm	15KG
L-309-0.8	0.8mm	15KG
L-309-0.9	0.9mm	15KG
L-309-1.00	1.00mm	15KG
L-316-0.8	0.8mm	5KG - 15KG
L-316-0.9	0.9mm	15KG
L-316-1.00	1.00mm	15KG
L-316-1.20	1.20mm	15KG



## TIG WIRES

www.londekawelding.co.z



#### ER70S-6 MILD STEEL TIG WIRE

TIG 70S-6 is a copper coated solid wire for TIG welding process, weld with CO2 or Argon CO2 mix gas. Used in a wide range of structural steel, general fabrication. Good X-ray quality.

#### **AVAILABLE IN:**

Code	Diameter	Packaging
L-Tig16	1.60mm	5KG
L-Tig20	2.00mm	5Kg
L-Tig2.4	2.4mm	5Kg
L-Tig32	3.2mm	5Kg



#### **GRANDNOX** STAINLESS STEEL TIG WIRE


Stainless Steel Tig Wire is suitable for welding molybdenum bearing austenitic stainless steels. Good resistance to pitting, acid and general corrosion. Suitable for high pressure piping and tubing as well high temperature service applications.



Code	Diameter	Packaging
L-308TL-20	1.60mm	5KG
L-308TL-24	2.40mm	5KG
L-308TL-32	3.20mm	5KG
L-309TL-16	1.60mm	5KG
L-309TL-20	2.40mm	5KG
L-309TL-24	3.20mm	5KG
L-308TL-16	1.60mm	5KG
L-308TL-20	2.00mm	5KG
L-308TL-24	2.40mm	5KG
L-308TL-32	3.20mm	5KG

## WELDING MACHINES

www.londekawelding.co.za





#### PowerArc 160

Unique electric structure and air channel design in this series of machines can speed up the heat rejection of the power device as well as improving the duty cycles of the machines. The unique heat rejection efficiency of the air channel can effectively prevent the power devices and control circuits from being damaged by the dust absorbed by the fan, and the reliability of the machine is greatly improved thereby.

Code	power160
Power Voltage	230V±15%
Frequency	50/60 Hz
Duty Cycle	50%
Efficiency	85%
Weight	3.5kg (power source)
Dimensions (mm)	305*112*190mm (power source)

#### PowerArc 200

Unique electric structure and air channel design in this series of machines can speed up the heat rejection of the power device as well as improving the duty cycles of the machines. The unique heat rejection efficiency of the air channel can effectively prevent the power devices and control circuits from being damaged by the dust absorbed by the fan, and the reliability of the machine is greatly improved thereby.


Code	power200
Power Voltage	230V±15%
Frequency	50/60 Hz
Duty Cycle	60%
Efficiency	85%
Weight	5.8kg (power source)
Dimensions (mm)	381*132*286mm (power source)





# SAFETY PRODUCTS

Do not think because an accident hasn't happened to you that it can't happen. Remember that luck runs out but safety is good for life...



## 2020

#### www.londekawelding.co.za



**GLOVES**Premium Candy Strip Wrist Gloves 50mm



**GLOVES**Blue Lined Yellow Palm Premium Welding Elbow Gloves 200mm



**GLOVES**Red Heat Resistant Premium Welding Elbow Gloves 200mm



**GLOVES**Goat Skin VIP TIG Wrist Gloves 50mm



**GLOVES**Green Lined Elbow Gloves 200mm





#### **CHROME LEATHER APRON**


1 Piece (A-Grade) 600 x 1200mm



**SKULL CAP**Welding Skull Caps with Flap





**FACE SHIELD**Complete Face Shield




**EAR MUFF**Ear Muff







**SPORT STYLE SPECTACLE** (Anti Scratch & Anti Fog) - Green




SPORT STYLE SPECTACLE

(Anti Scratch & Anti Fog) - Black



**SPORT STYLE SPECTACLE** (Anti Scratch & Anti Fog) - Clear




#### SPORT STYLE SPECTACLE

(Anti Scratch & Anti Fog) - Amber



## CUTTING DISCS

www.londekawelding.co.z





#### SUPERFLEX CUTTING DISCS

- High quality raw materials provide increased productivity and value for money buy.
- Multi-layer reinforcement ensures total operator safety under normal working conditions.
- Local manufacture and stockholding provides continuity of supply.
- Ultra thin cut-off for quicker cuts with minimal cutting waste.
- Reduces tool load which reduces tool maintenance required.
- Lower heat generation, therefore less distortion and discolouration on steels.

#### **AVAILABLE SIZES**

Code	Diameter
C-Discs115	115mm
C-Discs230	230mm





## LONDEKA WELDING SUPPLIES PRODUCT CATALOGUE

Our African presence ensures timeliness, cost efficiency and compliance adherence required to ensure your timelines are met. Serving with experience and expertise in the welding industry, as one of SA's Growing Supplier!

CONTACT US

NEB:

admin@londekawelding.co.za sales@londekawelding.co.za PHONE:

+27 (0) 81 480 5000 +27 (0) 83 715 2637 REGISTRATIONS:

Reg no: 2020/468374/07 Income Tax no: 9716933172